

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	S72 and float\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 17:38
		S58 and (loop\$3 or iterat\$_	US-PGPUB	OR	ON	2007/02/15 14:13
		("20050091257").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/15 14:13
L2	1	1 and quicksort	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/15 14:18
L3	8	707/7.ccls. and (("less" or fast\$3) with quicksort)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/15 14:29
L4	1	(US-6571244-\$).did.	USPAT	OR	OFF	2007/02/15 14:28
L5	0	4 and bit	USPAT	OR	OFF	2007/02/15 14:28
L6	1	4 and (bit or binary)	USPAT	OR	ON	2007/02/15 14:28
L7	28	707/7.ccls. and quicksort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/15 14:31
L8	13	707/7.ccls. and ((bit or binary) with sort\$3) and quicksort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/15 14:34
L9	4	8 and mask\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/15 14:37
L10	1	("6546388").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/15 15:28

EAST Search History

L11	1	("20060248064").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/15 15:29
L12	1	("20050108230").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/15 15:29
S2	2	("2005009257").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/23 09:06
S3	1	("20050091257").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/23 09:16
S4	51	2003/0051020 2003/0093565 2003/0004938 2002/0174130 2002/0143747 2002/0032681 "6,564, 211" "6,553,370" "6,519,593" "6,397, 216" "6,381,605"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/23 09:16
S5	12	("20030051020", "20030093565", "20030004938", "20020174130", "20020143747", 2002/0032681, "6564211", "6553370", "6519593", "6397216", "6381605", "6144986", "6128614").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/23 09:18
S6	13	("20030051020", "20030093565", "20030004938", "20020174130", "20020143747", "20020032681", "6564211", "6553370", "6519593", "6397216", "6381605", "6144986", "6128614").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/23 10:22
S7	13	S6 and sort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/23 09:21
S8	2	S6 and (sort\$3 with linear)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/23 09:21
S9	1	(US-20020032681-\$).did.	US-PGPUB	OR	OFF	2006/08/23 10:02
S10	0	S9 and ((leav\$3 or leaf) with node)	US-PGPUB	OR	ON	2006/08/23 10:03

EAST Search History

S11	0	S9 and (leav\$3 or leaf)	US-PGPUB	OR	ON	2006/08/23 10:03
S12	1	S8 and (leav\$3 or leaf)	US-PGPUB	OR	ON	2006/08/23 10:03
S13	1	(US-20020174130-\$).did.	US-PGPUB	OR	OFF	2006/08/23 10:13
S14	1	S13 and (increment\$3 or count\$3)	US-PGPUB	OR	ON	2006/08/23 10:24
S15	1	S6 and (unique with sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/23 10:23
S16	1	S15 and (increment\$3 or count\$3)	US-PGPUB	OR	ON	2006/08/23 10:24
S17	1	(US-20030004938-\$).did.	US-PGPUB	OR	OFF	2006/08/23 11:46
S18	0	S17 and (sort\$3 with bit\$)	US-PGPUB	OR	ON	2006/08/23 11:47
S19	1	S17 and sort\$3	US-PGPUB	OR	ON	2006/08/23 11:50
S20	1	S17 and time	US-PGPUB	OR	ON	2006/08/23 11:50
S21	0	S17 and (execut\$3 with time)	US-PGPUB	OR	ON	2006/08/23 11:51
S22	1	(US-20020174130-\$).did.	US-PGPUB	OR	OFF	2006/08/23 11:56
S23	1	S22 and sort\$3	US-PGPUB	OR	OFF	2006/08/23 12:01
S24	0	S22 and (sort\$3 with sequence)	US-PGPUB	OR	ON	2006/08/23 11:58
S25	0	S22 and (sort\$3 with binar\$)	US-PGPUB	OR	ON	2006/08/23 11:58
S26	0	S22 and (sort\$3 with bit\$)	US-PGPUB	OR	ON	2006/08/23 11:58
S27	0	S22 and (sort\$3 with (ascend\$ or descend\$))	US-PGPUB	OR	ON	2006/08/23 11:58
S28	0	S22 and (ascend\$3 or descend\$)	US-PGPUB	OR	OFF	2006/08/23 12:01
S29	1	(US-20020174130-\$).did.	US-PGPUB	OR	OFF	2006/08/24 15:17
S30	1	S29 and sort\$3	US-PGPUB	OR	OFF	2006/08/24 15:17
S31	1	S29 and sort\$3	US-PGPUB	OR	ON	2006/08/24 15:35
S32	1	S29 and (binary or bit)	US-PGPUB	OR	ON	2006/08/24 15:35
S33	13	("20030051020", "20030093565", "20030004938", "20020174130", "20020143747", "20020032681", "6564211", "6553370", "6519593", "6397216", "6381605", "6144986", "6128614").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/24 16:03
S34	323347	sort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/24 16:03
S35	323347	S34 and sort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/24 16:03

EAST Search History

S36	13	S33 and sort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/24 16:03
S37	4	S33 and (sort\$3 near5 (binar\$3 or bit\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/24 16:05
S38	2	S37 and sequence\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/24 16:20
S39	1	("20050091257").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/24 16:55
S40	1	S39 and field and width	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/24 16:56
S41	1	S39 and (field with width)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/24 16:56
S42	1	("2002/0032681").URPN.	USPAT	OR	OFF	2006/08/24 17:15
S43	0	S42 and linear	USPAT	OR	ON	2006/08/24 17:15
S44	13	("20030051020", "20030093565", "20030004938", "20020174130", "20020143747", "20020032681", "6564211", "6553370", "6519593", "6397216", "6381605", "6144986", "6128614").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/25 15:36
S45	4	S44 and (sort\$3 near5 (binar\$3 or bit\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/25 15:36
S46	1	(US-20020174130-\$.did.	US-PGPUB	OR	OFF	2006/08/25 15:41
S47	1	(US-20030004938-\$.did.	US-PGPUB	OR	OFF	2006/08/25 17:04
S48	1	S47 and time	US-PGPUB	OR	ON	2006/08/25 15:51
S49	1	S47 and (sequence with (binar\$3 or bit))	US-PGPUB	OR	ON	2006/08/25 16:03

EAST Search History

S50	0	S47 and ((sequence with (binar\$3 or bit)) same stor\$3)	US-PGPUB	OR	ON	2006/08/25 16:04
S51	1	S47 and stor\$3	US-PGPUB	OR	ON	2006/08/25 16:04
S52	1	(US-20020174130-\$).did.	US-PGPUB	OR	OFF	2006/08/25 16:44
S53	0	S52 and (ascend\$3 or descend\$3)	US-PGPUB	OR	ON	2006/08/25 16:44
S54	1	S52 and sort\$3	US-PGPUB	OR	ON	2006/08/25 16:45
S55	1	S47 and (set\$3 with index\$3)	US-PGPUB	OR	ON	2006/08/25 18:11
S56	0	S47 and (node with pointer\$1)	US-PGPUB	OR	ON	2006/08/25 18:11
S57	1	S47 and node	US-PGPUB	OR	ON	2006/08/25 18:11
S58	1	(US-20020174130-\$).did.	US-PGPUB	OR	OFF	2006/08/25 18:49
S59	1	S58 and (loop\$3 or iterat\$)	US-PGPUB	OR	ON	2006/08/25 18:49
S60	1	S58 and (loop\$3 or iterat\$ or recursi\$)	US-PGPUB	OR	ON	2006/08/25 20:04
S61	0	S58 and decreas\$3	US-PGPUB	OR	ON	2006/08/25 20:04
S62	1	S58 and function	US-PGPUB	OR	ON	2006/08/25 20:04
S63	1	(US-20030004938-\$).did.	US-PGPUB	OR	OFF	2006/08/26 16:27
S64	1	S63 and length	US-PGPUB	OR	ON	2006/08/26 16:33
S65	0	S63 and ((fix\$ or variable) with length)	US-PGPUB	OR	ON	2006/08/26 16:28
S66	1	S63 and (string or character)	US-PGPUB	OR	ON	2006/08/26 17:00
S67	0	S63 and mantissa	US-PGPUB	OR	ON	2006/08/26 17:05
S68	0	S63 and sign	US-PGPUB	OR	ON	2006/08/26 17:05
S69	0	S63 and (negative or positive)	US-PGPUB	OR	ON	2006/08/26 17:05
S70	2	"2005009257"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/26 20:28
S71	1	("20050091257").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/26 20:16
S72	1	(US-20020174130-\$).did.	US-PGPUB	OR	OFF	2006/08/26 17:14
S73	0	S72 and mantissa	US-PGPUB	OR	ON	2006/08/26 17:14
S74	3	(US-20020032681-\$ or US-20030004938-\$ or US-20020174130-\$).did.	US-PGPUB	OR	OFF	2006/08/26 17:15
S75	0	S65 and mantissa	US-PGPUB	OR	OFF	2006/08/26 17:15
S76	4	("less" with quick\$1sort)	US-PGPUB	OR	ON	2006/08/26 17:17
S77	2	(linear with sort\$3) same (bit with sequence)	US-PGPUB	OR	ON	2006/08/26 17:18

EAST Search History

S78	2	(linear with sort\$3) same ((bit or binar\$3) with sequence)	US-PGPUB	OR	ON	2006/08/26 17:19
S79	58	(linear with sort\$3) same (bit or binar\$3)	US-PGPUB	OR	ON	2006/08/26 17:19
S80	3	S79 and quick\$1sort\$3	US-PGPUB	OR	ON	2006/08/26 17:21
S81	92	quick\$1sort\$3	US-PGPUB	OR	ON	2006/08/26 17:21
S82	39	quick\$1sort\$3 and bit	US-PGPUB	OR	ON	2006/08/26 17:23
S83	2	S82 and mantissa	US-PGPUB	OR	ON	2006/08/26 17:24
S84	13	S82 and ((word or string or character) with (bit or byte))	US-PGPUB	OR	ON	2006/08/26 17:24
S85	51	quick\$1sort\$3 and (bit or byte)	US-PGPUB	OR	ON	2006/08/26 17:23
S86	2	S85 and mantissa	US-PGPUB	OR	ON	2006/08/26 17:24
S87	15	S85 and ((word or string or character) with (bit or byte))	US-PGPUB	OR	ON	2006/08/26 17:24
S88	0	S72 and exponent\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 17:38
S89	0	S72 and decimal	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 17:38
S90	0	S72 and float	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 17:38
S91	1	(US-20030004938-\$).did.	US-PGPUB	OR	OFF	2006/08/26 17:54
S92	1	(US-20020174130-\$).did.	US-PGPUB	OR	OFF	2006/08/26 17:55
S93	2	S91 S92	US-PGPUB	OR	ON	2006/08/26 18:48
S94	0	S93 and quicksort	US-PGPUB	OR	ON	2006/08/26 17:56
S95	0	S93 and quick\$1sort	US-PGPUB	OR	ON	2006/08/26 17:57
S96	0	S93 and quick\$	US-PGPUB	OR	ON	2006/08/26 17:57
S97	4	(US-20020032681-\$ or US-20030004938-\$ or US-20020174130-\$ or US-20020165707-\$).did.	US-PGPUB	OR	OFF	2006/08/26 17:57
S98	1	S97 and quick\$1sort	US-PGPUB	OR	ON	2006/08/26 18:26
S99	0	S97 and (execution with time)	US-PGPUB	OR	ON	2006/08/26 18:19
S100	0	S97 and (quicksort with time)	US-PGPUB	OR	ON	2006/08/26 18:20

EAST Search History

S10 1	4	S97 and time	US-PGPUB	OR	ON	2006/08/26 18:20
S10 2	1	(US-20020165707-\$).did.	US-PGPUB	OR	OFF	2006/08/26 18:20
S10 3	1	S102 and time	US-PGPUB	OR	ON	2006/08/26 18:20
S10 4	1	S102 and quick\$1sort	US-PGPUB	OR	ON	2006/08/26 18:26
S10 5	2	S93 and integer	US-PGPUB	OR	ON	2006/08/26 19:17
S10 6	0	S94 and (linked with list)	US-PGPUB	OR	ON	2006/08/26 19:02
S10 7	0	S94 and list	US-PGPUB	OR	ON	2006/08/26 19:02
S10 8	0	S94 and link\$	US-PGPUB	OR	ON	2006/08/26 19:02
S10 9	1	S105 and bit\$1	US-PGPUB	OR	ON	2006/08/26 19:17
S11 0	1	S105 and (bit\$1 with position)	US-PGPUB	OR	ON	2006/08/26 19:18
S11 1	0	S105 and (significant with bit\$1 with position)	US-PGPUB	OR	ON	2006/08/26 19:18
S11 2	1	S93 and (bit\$1 with position)	US-PGPUB	OR	ON	2006/08/26 19:18
S11 3	1	S71 and "(m and x)"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:17
S11 4	1	S71 and "m and x"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:17
S11 5	1	S71 and mask\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:22
S11 6	1	S71 and (m with x)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:23

EAST Search History

S11 7	1	S93 and mask\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:23
S11 8	13448	S70 nad ("does not include" with compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:29
S11 9	0	S70 and ("does not include" with compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:29
S12 0	0	S71 and ("does not include" with compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:29
S12 1	0	S71 and "does not"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:29
S12 2	0	S71 and "not"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:30
S12 3	1	("20050091257").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/26 20:30
S12 4	0	S123 and "does not include"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/26 20:30
S12 5	1	S123 and compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:36
S12 6	2	S93 and compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:39

EAST Search History

S12 7	2	S93 and sort\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/26 20:39
----------	---	-----------------	---	----	----	------------------